Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6780711".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:38
S2	9263	three-dimension\$3 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:39
S3	55041	(wordline\$1 or word adj line\$1) and select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:39
S4	86432	bitline\$1 or bit adj line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:40
S5	823	S2 and S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:55
S6	. 8	S5 and opposit\$3 adj edge\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:40
S7	8	S5 and opposit\$3 adj edge\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 11:40
S8	1	"5113235".PN.	USPAT; USOCR	OR	ON	2006/05/15 12:51
S9	1	"5308783".PN.	USPAT; USOCR	OR	ON	2006/05/15 12:51
S10	1	"5327374".PN.	USPAT; USOCR	OR	ON	2006/05/15 12:52

			_			
S11	9263	three-dimension\$3 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:55
S12	55041	(wordline\$1 or word adj line\$1) and select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:55
S13	86432	bitline\$1 or bit adj line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:55
S14	823	S11 and S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/15 12:55
S15	67	S14 and (select\$3 or decond\$3) with opposit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:55
S16	79	S14 and (select\$3 or decod\$3) with opposit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:05
S17	823	S14 and (select\$3 or decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:05
S18	213	S17 and @ad<="19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 13:07

			,	,		
S19	206	S18 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S20	9263	three-dimension\$3 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/15 17:22
S21	55041	(wordline\$1 or word adj line\$1) and select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S22	86432	bitline\$1 or bit adj line\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S23	823	S20 and S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S24	79	S23 and (select\$3 or decod\$3) with opposit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S25	823	S23 and (select\$3 or decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S26	213	S25 and @ad<="19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22

C27	200	C2C+ C24	LIC DODIES		011	2006/07/:-:
S27	206	S26 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:22
S28	27	S27 and beneath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:31
S29	112	S27 and under	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:23
S30	0	S27 and under with memory adj array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:24
S31	46	S27 and under with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:24
S32	38	S31 not S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 17:31